

WARRANTY

Wood Polymer (Plastic) Composite (WPC)

Lions Floor products are covered by a warranty period from the date of purchase by the Installer or End User against defects in materials, workmanship and conform to product specifications, provided installation, maintenance and use falls within recommended installation instructions.

The Lions quality flooring WPC products are backed by a **Limited 10-Year Commercial Warranty** and **50-year Residential Warranty** for manufacturing defects as described below.

Keep proof of your purchase in the form of an invoice, bill or statement from a Lions Floor retailer/contractor that shows date and price paid, including labor.

Pre-Installation:

Lions Floor warrants that its flooring is free of visual defects. Customer or installer should carefully inspect each piece before installation. Products that appear to have defects should not be installed. Lions Floor will not be responsible for any claim for products installed with visual defects.

Installation:

This Limited Warranty covers material costs provided that such flooring is installed complying with Lions Floor's Installation & Maintenance Guide available at <https://www.lionsfloor.com>.

TERMS FOR WARRANTY

If a defect covered by this Limited Warranty is found within the warranty period, upon verification of the defect, Lions Floor will authorize repair or replacement of the affected area without charge, with flooring of equal value and/or quality.

Claim of defect must be presented in writing and the piece of defective item shall be presented for investigation detailed process of claim report (Inspection Request Form; Complaint Inspection Report) can be acquired from assigned Lions Floor's account manager or download from our website:

<https://www.lionsfloor.com>.

WARRANTIES

a. Wear Warranty:

We warrant to the original purchaser that the wear layer on our flooring:

- Will not wear through the decorative layer. Scratches, indentations, or reduction in gloss level is not considered wear.
- Will not fade, as a result of direct sunlight or normal indoor lighting.
- In its original manufactured condition, will be free from manufacturing defects.

These warranties start from the date of purchase, but only if no exclusions are applicable and only if all requirements herein are fulfilled and are offered for a period of 20 years in Light Commercial spaces and 10 years in Commercial spaces as defined above.



b. Structural Warranty:

We warrant to the original purchaser that our flooring:

- Will not delaminate.
- In its original manufactured condition, will be free from manufacturing defects.

These warranties start from the date of purchase, if no exclusions are applicable and only if all requirements herein are fulfilled, for as long as the original installation of the flooring is in place.

c. Warranty for Installation Over a Radiant-Heated Subfloor:

We warrant to the original purchaser starting from the date of purchase, the floor can be installed over a radiant-heated subfloors. Radiant heat systems must be warranted by manufacturer of system for installation of WPC, WPC and LVT products. Any damage caused to WPC product by the Radiant heat system will void Lions Floor Warranty. This radiant-heated subfloor warranty is only applicable when at least the following cumulative requirements are fulfilled:

- **Radiant Heat:** Radiant heat systems must have a minimum of 1/2" separation from the product.
- **In-floor Radiant Heat:** flooring can be installed over 1/2" embedded radiant heat using the floating or glue down method.
- **Electric heating mats** that are not embedded into the subfloor are not warranted for use underneath the WPC flooring. Using electric heating mats that are not embedded and applied directly underneath the flooring will void the warranty in case of failure. It is best to install the product over embedded radiant floor heating systems that are warranted for resilient flooring installation and adhere to the guidelines listed above.
- **The radiant heating system** must incorporate electronic temperature controls.
- Heat must be off for 24 hours before, during and 24 hours after installation when installing over radiant heated subfloors.
- Before installing over newly constructed radiant heat systems, operate the system at maximum capacity for at least 14 days to force any residual moisture from the subfloor.
- **For concrete or gypcrete subfloors**, conduct and document Calcium Chloride Tests per ASTM F1869. Test results must not exceed 2.0 lbs. per 1000 square feet per 24 hours. For wood subfloors, use a pin type meter to document the moisture content of the subfloor. Moisture readings should not exceed 8% in any location.
- Make sure that the temperature in the room is minimum of 60°F (15°C) during installation.
- Once the installation has been completed, the heating system should be turned on and increased gradually (5-degree increments) until returning to normal operating conditions.
- Heated flooring system temperature must not exceed 85°F (30°C).
- Refer to the radiant heat system's manufacturer recommendations for additional guidance.

d. Moisture warranty:

We warrant to the original purchaser from the date of purchase that Lions flooring in its original manufactured state, under normal and reasonable use, when properly installed, shall be resistant to damage from mopping or normal household spills. This means planks will not swell, buckle, or lose integrity. The moisture warranty does not cover any structural damage caused by flooding, leaking pipes, household mechanical failures, or appliance leaks. Any damage to the subfloor and/or surrounding structure that is caused by standing water or flooding is not covered by this warranty.



Warranty Owner:

This Limited Warranty applies from the date of purchase and only to the original owner of the floor.

Warranty Expectations

1. Wear from chairs or other furniture without proper floor protectors will void the warranty.
2. Indentations, scratches, or surface damage caused by improper maintenance, misuse, negligence, spike heeled shoes, pebbles, sand, or other abrasives are not covered by this warranty.
3. Damage caused by fire or burns, intentional abuse, flooding, construction projects or product installation are not covered by this warranty.
4. Dissatisfaction or damage due to improper installation or installation contrary to Lions Floor recommendations will void the warranty. Installation instructions are available on our website <https://www.lionsfloor.com>
5. Labor on material installed with obvious defects is not covered by this warranty.
6. Labor costs on repair or replacement of material which was not originally professionally installed are not covered by this warranty.
7. Any discoloration or bond failure on Lions Floor products resulting from improper adhesive selection or application is not covered by this warranty.
8. If, prior to installation, this flooring is not acclimated to room temperature (between 65°F ~ 85°F) at job site between 24 ~ 48 hours and, if post-installation, such flooring is not continuously maintained at such temperature, this warranty is void.
9. Problems due to moisture, mildew, alkaline substances, or hydrostatic pressure in the sub-floor are not covered by this warranty.
10. Using non-recommended floor care products may damage the floor and void the warranty.

TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES WHICH MAY ARISE BY IMPLICATION OF LAW OR APPLICATION OF COURSE OF DEALING OR USAGE OF TRADE—INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE— ARE EXPRESSLY EXCLUDED. NO WARRANTIES, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, EXTEND BEYOND THOSE EXPRESSLY SET FORTH IN THIS WARRANTY BROCHURE. LIONS FLOOR WILL NOT BE RESPONSIBLE FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES.

THESE LIMITED WARRANTIES CONSTITUTE THE ENTIRE AGREEMENT OF THE PARTIES, AND NO WAIVER OR AMENDMENT SHALL BE VALID UNLESS IN WRITING AND SIGNED BY AN AUTHORIZED REPRESENTATIVE OF LIONS FLOOR.¹

Light Commercial Defined

Lions Floor warrants only first quality products for recommended light commercial use such as those outlined in the below Light Commercial Application Chart. Lions Floor's WPC products will perform as warranted for the stated warranty period only if the same are installed and maintained in compliance with the Lions Floor Installation & Maintenance Guide, using the recommended adhesives if applicable.

- Light Commercial use is defined as use in environments, that do not experience normal to heavy commercial traffic, such as those outlined in the Light Commercial Application Chart below. PLEASE

¹ By implied warranties Lions Floor means warranties that the law presumes to have been given by the seller even though they are not set out in writing. PLEASE NOTE: Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitation or exclusion may not apply to the original owner.



NOTE, warranty exclusions apply with respect to casters and other rolling loads, due to the unusual characteristics of this type of wheeled traffic.

- The intended applications include privately owned in-house businesses, such as daycare centers, doctor/dentist offices, and barber/beauty shops. For questions as to the type of use that is considered “Light Commercial”, please contact Lions Floor Technical Services prior to purchase and installation.
- Lions Floor is not responsible for usage that is not in compliance with any regulation or code.

Light Commercial Application Chart

Commercial Building Type	Examples of Business Type	Recommended Application Areas
Healthcare	Medical Clinics, Retirement Centers, Doctors’ Offices, Hospice, Assisted Living	All non-required “Clean Room” Areas – corridors, patient rooms, lobbies, waiting rooms, cafeterias, exam rooms, common areas
Corporate	Banks, professional offices, including law firms, accounting firms, etc.	Offices, hallways, lobbies, reception areas, bathrooms, break rooms, conference rooms
Retail	Retail Stores, main street, boutiques, art galleries, bookstores, coffee shops, dry cleaners, gift shops, jewelry stores, beauty salons, barber shops. WARNING: WHOLESALE SUPERMARKETS OR INDUSTRIAL WAREHOUSE USING PALLET JACKS OR FORKLIFTS ARE EXCLUDED FROM THIS WARRANTY.	Dressing rooms, common areas
Multi-Family Housing	Apartments, Condos, Military Housing	Rooms, common areas
Hospitality	Hotel, motel, restaurants	Hallways excluding commercial kitchens
Education	Daycare, preschool, elementary, secondary learning, universities, libraries	Dorms, commons areas, cafeterias, auditoriums, excluding gymnasiums

THIS WARRANTY CONSTITUTES THE ENTIRE EXPRESS WARRANTY OF LIONS FLOOR WPC PRODUCTS. THERE ARE NO WARRANTIES, IMPLIED OR EXPRESS BEYOND THIS WARRANTY.

CARE AND CLEANING

With today’s advances in vinyl flooring stains and finishes, cleaning vinyl has never been easier. There are other steps you can take to minimize maintenance and maintain the beauty of your vinyl floors. Regular maintenance requires little more than sweeping with a soft bristle broom if your floor includes a beveled edge that could collect debris.

- Clean your floors periodically with a professional vinyl floor cleanser. Lions Floor recommends a P/H Neutral vinyl cleanser.
- For moderately soiled areas, use a mild solution of isopropyl (rubbing) alcohol and distilled water. Dilute the mixture by mixing one-part alcohol and 2 parts distilled water. For tougher spots, use a higher concentration of isopropyl alcohol and distilled water.
- Avoid using any cleaning agents containing wax, oil or polish. Left over residue will form a dull film.



- Always spot test in an inconspicuous area.
- Do not use any wood care floor cleaning products on vinyl floors. Self-polishing acrylic waxes can cause the surface to become slippery and appear dull quickly.
- Do not use vinegar as a cleaning solution, its acidic properties will harm the finish.
- Use area rugs both inside and outside doorways to help prevent grit, dirt and other debris from being tracked onto your floor. Please use a breathable rug pad underneath all throw rugs to prevent scratching.
- Place an area rug in front of the kitchen sink.
- Do not wet-mop the floor. Standing water can dull the finish, damage the floor and leave a discoloring residue.
- Do not use a steam mop of any kind. Damages associated with steam mop use will void warranty coverage.
- Wipe up spills immediately.
- Protect your floor with floor protectors that are made of non-staining felt under the legs of furniture to help prevent scuffing and scratching; Larger pads may be required on bigger objects. Scratching due to insufficient protection are not covered under by the warranty.
- Avoid walking on your vinyl floors with cleats, sports shoes and high heels. o A 125-pound woman walking in high heels has an impact of 2,000 pounds per square inch. An exposed heel nail can exert up to 8,000 pounds per square inch. This kind of impact can dent any floor surface.
- When moving heavy furniture, do not slide it on the flooring. It is best to pick up the furniture completely to protect the floor from damage.

Floor Repairs:

- Very light and small surface scratches can be repaired with a staining “touch up” pen of the appropriate color or by using an almond stick. Please refer to manufacturer’s recommendations on proper application.
- Slightly deeper scratches can be repaired by means of colored putty, acrylic and/or stains. Fill the scratches with the putty, level with putty knife and use terry cloth towel to wipe off excess.
- Very deep scratches or gouges may require the replacement of planks.