

Product Catalog



About Lions Floor

Founded in 2017, Lions Floor is one of America's fastest-growing wholesale distributors of high quality, water-resistant SPC, WPC, Laminate and LVP flooring. Lions Floor emphasizes exceptional customer service and satisfaction, and produces classic, stylish flooring options that are recognized for their affordability and superior quality.

Every collection in Lion Floor's product portfolio is tested in US-based laboratories and examined to surpass industry standards. Our flooring features state-of-the-art Registered Embossing technology that results in highly durable, water-resistant products that are long-lasting while achieving an exquisite wood grain embossed veneer. Being an environmentally conscientious company, we are proud to use materials that are unharmed to the environment and do not add to the growing concerns of deforestation.

Enjoy the ease of mind and long-lasting beauty and durability that comes with using Lions Floor products.

Our products are renowned for proven stability and exceptional performance.

Contents

SPC

- 06 Indoor Delight
- 10 Lone Star Spirit
- 14 Lone Star Spirit XL
- 18 Natural Essence Plus
- 22 Trenta
- 26 Grande
- 30 Versa
- 34 Bambino

WPC

- 40 Canyon Coast
- 44 Seaside Summit

Laminate

- 50 Comfort Heights

LVP

- 58 District
- 58 District Pro
- 58 District Max

Resources

- 62 Room Visualizer
- 63 Compare Our Flooring
- 64 Underlayments
- 65 Adhesives

Matching Colors Across 3 Product Categories

Lions Floor features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and waterproof laminate.

Flexible LVP (District, District Pro, and District Max collections) feature the most sought-after SPC colors with copyrighted 10 repeats, fiberglass core, EIR embossed finish, larger planks with virtually no acclimation required. Our water-resistant laminate collection, Comfort Heights, features the same sought-after SPC colors in large-profile 10 repeat planks, and is a high density core laminate, water-resistant with waxed joints, AC4 level scratch resistant and EIR embossing finish.



SPC	Laminate	LVP (2 mm / 6 mil)	LVP (2 mm / 12 mil)	LVP (2.5 mm / 20 mil)
Indoor Delight LI-ID01 Country Breeze	Comfort Heights LI-CH01 Village Park	District LI-DT01 Billings	District PRO LI-DP01 Marquee	District MAX LI-DM01 Atherton
Indoor Delight LI-ID02 Castle Forge	Comfort Heights LI-CH02 Baywood Place	District LI-DT02 Chesterbrook	District PRO LI-DP02 Metro	District MAX LI-DM02 Scarsdale
Indoor Delight LI-ID03 Slate Ballad	Comfort Heights LI-CH03 Cliff Cottage	District LI-DT03 Los Alamos	District PRO LI-DP03 West Chelsea	District MAX LI-DM03 Hillsborough
Indoor Delight LI-ID05 Ashen Land	Comfort Heights LI-CH04 Boardwalk Court	District LI-DT04 Brentwood	District PRO LI-DP04 Midtown East	District MAX LI-DM04 Weston
Indoor Delight LI-ID14 Homewood Waltz	Comfort Heights LI-CH05 Camden Ridge	District LI-DT05 Brighton	District PRO LI-DP05 Sun Valley	District MAX LI-DM05 Overland Park
Lone Star Spirit LI-TS106V2 Saddle Brownie	Comfort Heights LI-CH08 City Pointe	District LI-DT08 Clayton	District PRO LI-DP08 Capitol Hill	District MAX LI-DM08 Winnetka
Lone Star Spirit XL LI-TS202 Backyard Garnish	Comfort Heights LI-CH06 Huntington Gardens	District LI-DT06 Ardmore	District PRO LI-DP06 Westgate	District MAX LI-DM06 Greenwich
Lone Star Spirit XL LI-TS207 Sea Shell	Comfort Heights LI-CH07 Country Aura	District LI-DT07 Carmel	District PRO LI-DP07 East Aspen	District MAX LI-DM07 Naperville
Bambino BB-V Damier		District LI-DT09 Bellevue	District PRO LI-DP09 Plano	District MAX LI-DM09 Westport
Bambino BB-III Ganache		District LI-DT10 Irvine	District PRO LI-DP10 Chandler	District MAX LI-DM10 Brookline
Bambino BB-XII Naples Parfum		District LI-DT11 Arlington	District PRO LI-DP11 Murrieta	District MAX LI-DM11 Belvedere
Bambino BB-XIV Cliffside Oak		District LI-DT12 Westfield	District PRO LI-DP12 Roseville	District MAX LI-DM12 Truckee

SPC

Stone Polymer Composite (SPC) offers superior stability and a long-lasting lifespan. All Lions Floor SPC products tested in U.S.-based laboratories for compliance with industry standards. Furthermore, all products are made from 100% ecological ingredients and are FloorScore, CARB-2 and GreenGuard Gold certified.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.

Mouldings

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Stair Tread

Available for select collections.



Indoor Delight

Indoor Delight offers sophisticated European oak designs using the latest EIR embossing technology with 10 repeats on film designs, delivering a premium look of rich and vivid floor in on-trend 9" x 72" planks. Its exclusive designs are unique and only available at Lions Floor, ensuring customers protection from competitors, while making flooring projects truly "limited edition". Indoor Delight is also antibacterial-cured, easy to install, low-maintenance, environmentally friendly, durable, and long-lasting, making it appeal to both homeowners looking for an upgrade on their remodel, as well as builders in mid to high-end new construction.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free




Phthalate Free

SPECIFICATIONS


Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Core Thickness	5 mm	Plank Repeat	10
Wear Layer	20 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	5 pieces	22.65	50
Pallet	40 boxes	906.10	2,050
Container	960 boxes	21,746	48,000







LI-ID01 Country Breeze




LI-ID02 Castle Forge




LI-ID03 Slate Ballad




LI-ID04 Pearl Abyss




LI-ID05 Ashen Land




LI-ID06 Fortress Dawn




LI-ID07 Forest Timber




LI-ID08 Peacock Flush




LI-ID09 Lotus Clove




LI-ID10 Farmstead




LI-ID11 Tanin Honey







LI-ID12 Shoreline Décor



LI-ID13 Woodland Charm



LI-ID14 Homewood Waltz





LI-ID08 Peacock Flush



LI-ID09 Lotus Clove



LI-ID12 Shoreline Decor



LI-ID10 Farmstead



LI-ID11 Tanin Honey



LI-ID13 Woodland Charm

Lone Star Spirit

Lone Star Spirit, measuring 6 feet long and 7 inches wide, offers versatile and refined exotic wood-like designs using the latest EIR embossing technology with 10 plank repeats on film designs. Its unique designs are tailor-made for western markets and are only available at Lions Floor. The collection is also water-resistant, scratch-resistant, anti-bacterial cured, easy-to-install, low maintenance, eco-friendly, durable, and long-lasting, making it perfect for both budget conscious DIY-ers and luxury minded homeowners.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free




Phthalate Free

SPECIFICATIONS


Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	7" x 72"	Edge Profile	Painted Bevel
Total Thickness	6 mm	Installation Type	Floating/Uniclic
Core Thickness	4.5 mm	Plank Repeat	10
Wear Layer	20 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	6 pieces	21.27	46
Pallet	60 boxes	1,276.42	2,810
Container	1,080 boxes	22,976	49,680






LI-TS101V2
Sunnyside Up



LI-TS102V2
Toffeenut Umber




LI-TS103V2
Almont Haze




LI-TS104V2
More Mesa




LI-TS105V2
Chocolat




LI-TS106V2
Saddle Brownie




LI-TS107V2
Skyfall Groove



LI-TS108V2
Odessa Palm



LI-TS104V2 More Mesa




LI-TS101V2 Sunnyside Up



LI-TS103V2 Almont Haze



LI-TS107V2 Skyfall Groove



LI-TS106V2 Saddle Brownie



LI-TS105V2 Chocolat



LI-TS102V2 Toffeenut Umber



LI-TS108V2 Odessa Palm

Lone Star Spirit XL

Lone Star Spirit XL boasts versatile and refined exotic wood-like designs with the latest Embossed in Register (EIR) technology and planks measuring 6 feet long and 9 inches wide. The collection is also water-resistant, scratch-resistant, anti-bacterial cured, easy-to-install, low maintenance, eco-friendly, durable and long-lasting, making it perfect for both budget conscious DIY-ers and luxury-minded homeowners.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS


Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Core Thickness	5 mm	Plank Repeat	10
Wear Layer	20 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	5 pieces	22.65	50
Pallet	40 boxes	906.10	2,050
Container	960 boxes	21,746	48,000







LI-TS201 Artisan Touch




LI-TS202 Backyard Garnish




LI-TS203 Oak Exotica




LI-TS204 Oak Dry-Aged



LI-TS205 Forgotten Bark



LI-TS206 Shangri La



LI-TS207 Sea Shell



LI-TS208 Ballroom Rodeo



LI-TS205 Forgotten Bark



LI-TS208 Ballroom Rodeo



LI-TS206 Shangri La





Natural Essence Plus

Natural Essence Plus offers rich, distinct colors and textures with the latest registered embossing technology, featuring intricate hardwood aesthetics and the authentic finishing touch of natural wood. A highly-durable 20 mil wear layer and new virgin white underlayment offers the latest in durability and functionality with regal style. Made from 100% ecological ingredients, Natural Essence Plus represents both luxury and supreme craftsmanship with the highest environmentally friendly standards.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9" x 60"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Core Thickness	5 mm	Plank Repeat	5
Wear Layer	20 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	6 pieces	22.88	50
Pallet	52 boxes	1,189.52	2,650
Container	936 boxes	21,411	46,800





LI-NE201 Sequoia



LI-NE202 Kumo



LI-NE205 Foresta



LI-NE207 Evergreen



LI-NE208 Tresor



LI-NE209 Palisade



LI-NE211 Azur



LI-NE212 Medieval





Trenta

The Trenta collection replicates the beauty of natural wood with wood grain embossed decorative film on its surface. Its high-standard 20 mil wear layer provides essential scratch resistance, and its rigid core SPC material offers superior stability and a long-lasting lifespan. The Trenta collection has attached acoustic padding that works as a sound suppressant and is essential for shock absorption. The planks are made from 100% eco-friendly ingredients and are entirely formaldehyde free.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9" x 60"	Edge Profile	Painted Bevel
Total Thickness	6.5 mm	Installation Type	Floating/Uniclic
Core Thickness	5 mm	Plank Repeat	5
Wear Layer	20 mil	Texture/Style	Wood Grain Embossed Surface
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	6 pieces	22.88	50
Pallet	52 boxes	1,189.52	2,650
Container	936 boxes	21,411	46,800





LI-SP01 Candela Amber



LI-SP02 Bliss




LI-SP03 Crown Pebble



LI-SP04 Daisy Pearl



LI-SP07 Nightingale



LI-SP12 Hibiki



LI-SP12 Hibiki



LI-SP07 Nightingale



LI-SP02 Bliss



LI-SP03 Crown Pebble



LI-SP01 Candela Amber



LI-SP04 Daisy Pearl

Grande

The Grande collection replicates the beauty of natural wood with wood grain embossed decorative film on its surface. Its high-standard 20 mil wear layer provides essential scratch resistance, and its rigid core SPC material offers superior stability and a long-lasting lifespan. The Grande collection has attached acoustic padding that works as a sound suppressant and is essential for shock absorption. The planks are made from 100% eco-friendly ingredients and are entirely formaldehyde free.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	7" x 48"	Edge Profile	Painted/Micro Bevel
Total Thickness	6 mm	Installation Type	Floating/Uniclic
Core Thickness	4.5 mm	Plank Repeat	5
Wear Layer	20 mil	Texture/Style	Wood Grain Embossed Surface
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	10 pieces	23.64	45
Pallet	50 boxes	1,182.00	2,300
Container	1,000 boxes	23,640	45,000





LI-HP01 Flaxen Wheat



LI-HP02 Flint Mocha



LI-HP03 Stone Anchor



LI-HP04 Atlas Cedar



LI-HP02 Flint Mocha



LI-HP03 Stone Anchor



LI-HP04 Atlas Cedar



LI-HP01 Flaxen Wheat

Versa

The Versa collection replicates the beauty of natural wood with wood grain embossed decorative film on its surface. Its high-standard 20 mil wear layer provides essential scratch resistance, and its rigid core SPC material offers superior stability and a long-lasting lifespan. The Versa collection has attached acoustic padding that works as a sound suppressant and is essential for shock absorption. The planks are made from 100% eco-friendly ingredients and are entirely formaldehyde free.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS

Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	7" x 48"	Edge Profile	Micro Bevel
Total Thickness	6 mm	Installation Type	Floating/Uniclic
Core Thickness	4.5 mm	Plank Repeat	5
Wear Layer	20 mil	Texture/Style	Wood Grain Embossed Surface
Pad Thickness	1.5 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	10 pieces	23.64	45
Pallet	50 boxes	1,182.00	2,300
Container	1,000 boxes	23,640	45,000





LI-W01 White Wash




LI-W02 Autumn Accent



LI-W03 Grey Horizon



LI-W04 Bergen Smoke





LI-W04 Bergen Smoke



LI-W03 Grey Horizon

Bambino

Showcase the look of hardwood with all the performance capabilities of rigid core. Featuring the latest designer colors and sought-after wire-brushed visuals with a painted bevel, Bambino consists of an aluminum oxide-treated, 12 mil wear layer, offering added durability against scratches and scuffs, while the SPC core provides improved dent-resistance. An attached pad simplifies installation while providing improved sound reduction, making it an excellent choice for multi-family, residential remodel, or even light commercial.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS


Material Type	Rigid Core SPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	7" x 48"	Edge Profile	Painted Bevel
Total Thickness	5 mm	Installation Type	Floating/Uniclic
Core Thickness	4 mm	Plank Repeat	5
Wear Layer	12 mil	Texture/Style	Wood Grain Embossed
Pad Thickness	1 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	10 pieces	23.64	40
Pallet	60 boxes	1,418.25	2,450
Container	1,200 boxes	28,365	48,000






BB-I Dolce



BB-II Toy Block




BB-III Ganache



BB-IV Monogram



BB-V Damier




BB-VI Coffee Feather




BB-VII Rivoli




BB-VIII Chambery




BB-IX Lumber Yard




BB-X Timber Glaze




BB-XI Ocean Breeze



BB-XII Naples Parfum



BB-XIII Oak Rhapsody



BB-XIV Cliffside Oak




BB-I Dolce




BB-VII Rivoli



BB-II Toy Block




BB-IV Monogram



BB-V Damier




BB-VI Coffee Feather



BB-III Ganache



BB-IX Lumber Yard




BB-VIII Chambery




BB-XIII Oak Rhapsody




BB-XIV Cliffside Oak



BB-XI Ocean Breeze



BB-X Timber Glaze



BB-XII Naples Parfum



WPC

Experience the harmonious blend of coastal allure and mountain grandeur with Lions Floor's WPC flooring collections – Seaside Summit and Canyon Coast. From the rhythmic tides of Seaside Summit to the majestic peaks and lush canyons of Canyon Coast, these collections invite you to infuse your space with the serene beauty of the shore and the untamed elegance of the great outdoors.

Mouldings

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Stair Tread

Available for select collections.

Canyon Coast

Embark on an immersive journey with Lions Floor's Canyon Coast Collection, where the essence of mountain landscapes comes to life. This collection is more than just flooring; it's a tribute to the grandeur of nature and the diverse beauty found in the descent from summits to the lush canyons below. Elevate your space with the spirit of adventure and the authenticity of the Canyon Coast Collection. Let each plank tell a story of exploration, connecting your living environment with the untamed elegance of the great outdoors.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free




Phthalate Free

SPECIFICATIONS


Material Type	WPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9" x 72"	Edge Profile	Pressed Bevel (Pillowed)
Total Thickness	10 mm	Installation Type	Floating/Uniclic
Core Thickness	8 mm	Plank Repeat	10
Wear Layer	20 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	2 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	7 pieces	30.99	60
Pallet	44 boxes	1,363.56	2,706
Container	924 boxes	28,635	55,776






LI-CC01
Sunset Vista



LI-CC02
Alpine Ambiance



LI-CC03
Everlasting Peaks



LI-CC04
Mountain Mist



LI-CC05
Summit Shoreline



LI-CC06
Wilderness Whispers



LI-CC07
Altitude Trail




LI-CC01 Sunset Vista



LI-CC02 Alpine Ambiance



LI-CC03 Everlasting Peaks



LI-CC06 Wilderness Whispers



LI-CC04 Mountain Mist



Seaside Summit

Embark on a journey with Lions Floor's Seaside Summit Collection, where every step echoes the rhythmic tides and majestic coastal vibes. This collection encapsulates the essence of coastal living, bringing the serene beauty of the shore right to your space. Each plank tells a tale of sea-kissed adventures. With Seaside Summit, Lions Floor invites you to bring the coastal magic indoors, creating a space that resonates with the freedom and tranquility of the sea.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free




Phthalate Free

SPECIFICATIONS

Material Type	WPC	Attached Pad	Antibacterial and Acoustic Padding
Plank Size	9.5" x 84"	Edge Profile	Painted Bevel
Total Thickness	10 mm	Installation Type	Floating/Uniclic
Core Thickness	8 mm	Plank Repeat	10
Wear Layer	30 mil	Texture/Style	Embossed in Register (EIR)
Pad Thickness	2 mm	Finish	UV Acrylic

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	6 pieces	32.41	64
Pallet	36 boxes	1,166.92	2,364
Container	864 boxes	28,006	55,536






LI-SS01 Beach Blessing



LI-SS02 Marine Sheen



LI-SS03 Seashell Radiance




LI-SS04 Sandstone Whisper



LI-SS05 Pebble Shimmer



LI-SS06 Seaglass Luster



LI-SS07 Sunrise Sparkle



LI-SS01 Beach Blessing




LI-SS02 Marine Sheen



LI-SS05 Pebble Shimmer



LI-SS04 Sandstone Whisper



LI-SS03 Seashell Radiance



LI-SS07 Sunrise Sparkle



LI-SS06 Seaglass Luster

Water-Resistant Laminate

Meeting consumer needs not met by SPC or LVP, whether it's to plank thickness, scratch resistance or installation, our laminate collection is available in the ever popular long and wide plank format.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.

Mouldings

Seamlessly blend together our high-performing flooring products with the desired trim to create the desired aesthetic. Our mouldings coordinate with all our collections and respected colors.



End Cap

Works great when finishing the floor in areas that meet vertical objects.



Reducer

Ideal for transitioning floors of different heights.



Flush Stairnose

The Stairnose is used to finish stair treads and risers.



Quarter Round

Finish the perimeter for expansion and contraction of the flooring.



T-Moulding

Used when two level surfaces meet, like in a doorway or a narrow archway.



Comfort Heights

Lions Floor Comfort Heights collection aims to take home décor to the next level. The large profile plank resembles the authentic and timeless charm of hardwood. The Embossed in Register (EIR), yet matte finish, is a vivid expression of nature. Proven to be waterproof with a painted bevel, waxed joints and AC4 level scratch-resistance, Comfort Heights high density core delivers beauty, durability, and performance that suits any décor.



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

SPECIFICATIONS


Material Type	Laminate	Installation Type	Floating/Uniclic
Plank Size	9.25" x 60"	Plank Repeat	10
Total Thickness	12 mm	Texture/Style	Embossed in Register (EIR)
Wear Layer	AC4	Finish	Aluminum Oxide
Edge Profile	Painted Bevel	High Density Core	

PACKAGING	Quantity	Sq.Ft.	Lbs.
Box	5 pieces	19.16	44
Pallet	56 boxes	1,073.02	2,514
Container	1,176 boxes	22,533	51,744






LI-CH01 Village Park




LI-CH02 Baywood Place



LI-CH03 Cliff Cottage



LI-CH04 Boardwalk Court




LI-CH05 Camden Ridge




LI-CH06 Huntington Gardens




LI-CH07 Country Aura




LI-CH08 City Pointe



LI-CH09 Pine Ridge




LI-CH10 Cedar View



LI-CH11 Lake Point







LI-CH12 Sunset Terrace




LI-CH13 River Walk



LI-CH14 Maple Gardens






LI-CH13 River Walk



LI-CH14 Maple Gardens



LI-CH05 Camden Ridge



LI-CH08 City Pointe



LI-CH11 Lake Point



LI-CH12 Sunset Terrace

LVP

Catering to the multifamily and builder markets, we are bringing timely solutions with the right product types that were developed with our innovative approaches.

See page 3 for a cross reference color chart that features a coordinated palette of visuals and colors across three hard surface formats: SPC, flexible LVP and laminate.





District

2 mm

6 mil

District Pro

2 mm

12 mil

District Max

2.5 mm

20 mil



Waterproof



Indent Resistant



Sound Tested



Pet Friendly



Formaldehyde Free



Phthalate Free

Lions Floor District, District Pro, and District Max collections were created with exclusive patterns topped with intricate wood grain embossed surfaces to coordinate with various design options. Featuring a fiberglass-reinforced structure, the product delivers dimensional stability that yields high traffic tolerance. These LVP collections are an embodiment of timeless aesthetics and performance-driven functionality.



CERTIFIED BY
SCS Global Services

SPECIFICATIONS		District	District PRO	District MAX
Material Type		LVP	LVP	LVP
Core		Fiberglass-Reinforced Structure	Fiberglass-Reinforced Structure	Fiberglass-Reinforced Structure
Plank Size		7.25" x 48"	7.25" x 48"	7.25" x 48"
Total Thickness		2 mm	2 mm	2.5 mm
Wear Layer		6 mil	12 mil	20 mil
Installation Type		Glue Down	Glue Down	Glue Down
Edge Profile		Square Edge	Square Edge	Square Edge
Plank Repeat		10	10	10
Texture/Style		Wood Grain Embossed	Wood Grain Embossed	Wood Grain Embossed
Finish		UV Aluminum Oxide	UV Aluminum Oxide	UV Aluminum Oxide
Limited Warranty		15 years Residential	15 years Residential	20 years Residential
		7 years Light Commercial	10 years Light Commercial	10 years Commercial

PACKAGING		District	District PRO	District MAX
Per Box	Pieces	20 pieces	20 pieces	15 pieces
	Sq.Ft.	48.33	48.33	36.24
	Lbs.	39	38	32
Per Pallet	Boxes	60 boxes	60 boxes	60 boxes
	Sq.Ft.	2,899.54	2,899.54	2,174.65
	Lbs.	2,390	2,330	1,970
Per Container	Boxes	1,140 boxes	1,140 boxes	1,200 boxes
	Sq.Ft.	55,091	55,091	43,493



LI-DT01 Billings
LI-DP01 Marquee
LI-DM01 Atherton




LI-DT02 Chesterbrook
LI-DP02 Metro
LI-DM02 Scarsdale



LI-DT03 Los Alamos
LI-DP03 West Chelsea
LI-DM03 Hillsborough




LI-DT04 Brentwood
LI-DP04 Midtown East
LI-DM04 Weston



LI-DT05 Brighton
LI-DP05 Sun Valley
LI-DM05 Overland Park



LI-DT06 Ardmore
LI-DP06 Westgate
LI-DM06 Greenwich



LI-DT07 Carmel
LI-DP07 East Aspen
LI-DM07 Naperville



LI-DT08 Clayton
LI-DP08 Capitol Hill
LI-DM08 Winnetka



LI-DT09 Bellevue
LI-DP09 Plano
LI-DM09 Westport






LI-DT10 Irvine
LI-DP10 Chandler
LI-DM10 Brookline




LI-DT11 Arlington
LI-DP11 Murrieta
LI-DM11 Belvedere



LI-DT12 Westfield
LI-DP12 Roseville
LI-DM12 Truckee






LI-DT02 Chesterbrook
LI-DP02 Metro
LI-DM02 Scarsdale




LI-DT07 Carmel
LI-DP07 East Aspen
LI-DM07 Naperville




LI-DT04 Brentwood
LI-DP04 Midtown East
LI-DM04 Weston



LI-DT09 Bellevue
LI-DP09 Plano
LI-DM09 Westport




LI-DT12 Westfield
LI-DP12 Roseville
LI-DM12 Truckee



LI-DT06 Ardmore
LI-DP06 Westgate
LI-DM06 Greenwich

The Ultimate Flooring Visualizer

Get Started!



Meet Roomvo, the fast and easy room visualizer

Leave nothing to the imagination. With Roomvo, you can see our products in your home before you buy. Simply upload your photo to see your room come to life!


Why Roomvo?

Roomvo and its cutting-edge technology help to eliminate the guesswork commonly associated with purchasing new flooring.

Whether you're interested in carpet, hardwood, luxury vinyl, tile, laminate, or even an area rug, Roomvo will allow you to see whatever product you want in whatever room you want it in with just a few simple clicks. Shop more confidently with Roomvo.

Upload your photo to see your room come to life!

Take advantage of our visualization tools to see our flooring styles in your own home.



Compare Our Flooring

Consider your specific needs and preferences when deciding between SPC, WPC, LVP, and laminate. All options share common performance and visual traits. SPC flooring excels in moisture resistance and durability. LVP offers style, durability, and affordability. Laminate provides a cost-effective choice with diverse design possibilities. Choose your preferred look and feel, take home samples, and decide based on your room's purpose, lifestyle, and desired aesthetic.

CHARACTERISTIC	RIGID CORE SPC	GLUE DOWN LVP	LAMINATE	WPC
Core Material	Stone Polymer Composite (SPC)	Fiberglass-reinforced structure	Water-resistant core	Wood Polymer Composite (WPC)
Thickness	Thicker than other vinyl floorings	Varies, typically thinner than SPC	Thicker than other rigid floorings	Thicker than other vinyl floorings
Appearance	Resembles real hardwood flooring	Can replicate the look of hardwood	Mimics the appearance of real wood	Resembles real hardwood flooring
Stability and Rigidity	High rigidity and stability	Dimensionally stable	Good dimensional stability	High rigidity and stability
Durability	Highly durable and resistant	Durable and resistant to wear	Durable and wear-resistant	Highly durable and resistant
Moisture Resistance	Ultimate moisture resistance	Moisture-resistant surface	Waterproof surface with water-resistant core	Ultimate moisture resistance
Sound Insulation	Pre-attached underpad for insulation	Minimal sound insulation	Limited sound insulation	Pre-attached underpad for insulation
Heat Retention	Retains heat	Maintains temperature	Maintains temperature	Retains heat
Use in High-Traffic Areas	Suitable for high-traffic areas	Ideal for high-traffic areas	Ideal for high-traffic areas	Suitable for high-traffic areas
Repairability	Easily replace single damaged plank	Easily replace single damaged plank	Easily replace single plank	Easily replace single damaged plank
Suitable for Commercial Use	Residential and light commercial	Yes, especially in multifamily complexes and light commercial use	Residential and limited use in commercial settings	Residential and light commercial
Scratch Resistance	Extremely scratch resistance	Scratch resistance	Scratch resistance	Extremely scratch resistance
Indentations	Extremely indentation resistance	Prone to dents from heavy furniture	Extremely indentation resistance	Extremely indentation resistance

Underlayments


Protect your home with a moisture barrier that impedes growth of mold and mildew, and ensure a secure, lasting installation with the perfect adhesive.



SPC/WPC
Moisture Barrier Underlayment

UL-MB6 Moisture/Vapor Barrier Underlayment

Material	Polyethylene Film
Thickness	6 mil
Roll Weight	14.5 lbs.
Sq. ft. Per Roll	500 sq.ft.
Rolls per Pallet	100 rolls/pallet
Dimensions	125 ft. length × 4 ft. width
Includes overlap and tape for easy installation.	



Premium Laminate
Floor Underlayment

UL-MB3 Sound Dampening Noise Guard and Moisture Barrier

IIC Rating	73
STC Rating	72
Sq. ft. Per Roll	200 sq.ft.
Thickness	3 mm EVA Padding
Warranty	Lifetime Warranty
Water Resistance	Water Resistant/Closed Cell
Roll Weight	18.0 lbs (+/- 3%)
Roll per Pallet	20 rolls/pallet
Dimensions	55.6 ft. length × 3.7 ft. width
Includes overlap and tape for easy installation.	

Flooring Adhesives

LionsGrip is our firm-set resilient flooring adhesive designed for consistent, efficient installs. It features a transitional pressure-sensitive formula ideal for residential and light commercial environments.



RH
99%



PH
NTR 5-12



MVER
12 lbs



Flash Time
30-60 min*



Working Time
12 hrs



Cure Time
12 hrs



Light Traffic
0 min*



Heavy Traffic
24 hrs

Key Benefits:

- Transitional Pressure Sensitive Adhesive
- Ideal for LVP/LVT, sheet vinyl, and rubber
- One-part system for easy application
- Light Traffic: 0 min (PSA), 12 hrs (Semi-wet-set)
- Ultra-low VOC formula (≤ 11 g/L) for healthier indoor air
- Compliant with stringent indoor air quality standards
- LEED-compatible adhesive for eco-conscious projects
- Budget-conscious solution

*Data reference
PSA usage only

Application Method:

- Spread & set (PSA method)
- Coverage: 150–260 ft² per gallon

Approved Flooring Types:

- LVP / LVT (non-porous)
- Sheet Vinyl (heterogeneous/homogeneous)
- Rubber Tile (light commercial)

Best For:

- Standard residential projects
- Light commercial spaces
- Cost-effective flooring jobs

Substrate Testing

- RH - 99% [ASTM F2170]
- pH - 5-12 [ASTM F710]
- MVER - 12 lbs [ASTM F1869]



LIONSGRIP™

FIRM-SET RESILIENT FLOORING ADHESIVE

SKU: LI-LionsGrip-4gal

Packaging: 48 buckets per pallet





888-575-9220 | LionsFloor.com

